

JZ-HF-CY-PUR

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
2 x 0,5	6,9	30,0	90,0	20
3 G 0,5	7,2	38,0	104,0	20
4 G 0,5	7,8	48,0	123,0	20
5 G 0,5	8,3	65,0	131,0	20
7 G 0,5	9,6	70,0	172,0	20
8 G 0,5	10,5	81,0	195,0	20
10 G 0,5	11,5	94,0	230,0	20
12 G 0,5	11,5	110,0	250,0	20
14 G 0,5	12,1	135,0	280,0	20
18 G 0,5	13,6	157,0	321,0	20
21 G 0,5	15,0	175,0	380,0	20
25 G 0,5	16,3	240,0	445,0	20
30 G 0,5	16,6	275,0	509,0	20
34 G 0,5	18,1	305,0	560,0	20
42 G 0,5	19,5	330,0	780,0	20
50 G 0,5	21,3	393,0	960,0	20
61 G 0,5	23,5	541,0	1050,0	20
2 x 0,75	7,6	39,0	106,0	19
3 G 0,75	7,9	49,0	120,0	19
4 G 0,75	8,5	60,0	150,0	19
5 G 0,75	9,2	70,0	158,0	19
7 G 0,75	10,8	95,0	205,0	19
8 G 0,75	11,5	104,0	272,0	19
10 G 0,75	12,7	110,0	290,0	19
12 G 0,75	12,7	141,0	304,0	19
14 G 0,75	13,9	163,0	380,0	19
18 G 0,75	15,2	211,0	418,0	19
21 G 0,75	16,7	274,0	485,0	19
25 G 0,75	18,3	322,0	578,0	19
30 G 0,75	18,7	414,0	630,0	19
34 G 0,75	20,6	473,0	720,0	19
42 G 0,75	22,1	583,0	780,0	19

JZ-HF-CY-PUR

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
50 G 0,75	24,1	626,0	954,0	19
61 G 0,75	26,4	763,0	1085,0	19
2 x 1	7,9	50,0	116,0	18
3 G 1	8,3	60,0	135,0	18
4 G 1	9,0	73,0	178,0	18
5 G 1	9,6	81,0	188,0	18
7 G 1	11,3	114,0	235,0	18
8 G 1	12,2	130,0	270,0	18
10 G 1	14,0	178,0	340,0	18
12 G 1	14,0	186,0	358,0	18
14 G 1	14,7	231,0	415,0	18
18 G 1	16,2	254,0	500,0	18
21 G 1	17,9	328,0	525,0	18
25 G 1	19,6	378,0	678,0	18
32 G 1	21,0	450,0	777,0	18
34 G 1	21,7	478,0	825,0	18
41 G 1	23,6	576,0	980,0	18
42 G 1	23,6	590,0	998,0	18
50 G 1	25,7	702,0	1160,0	18
65 G 1	28,9	913,0	1670,0	18
2 x 1,5	8,5	64,0	141,0	16
3 G 1,5	9,1	84,0	164,0	16
4 G 1,5	9,7	99,0	220,0	16
5 G 1,5	10,9	120,0	233,0	16
7 G 1,5	12,5	148,0	323,0	16
8 G 1,5	13,9	191,0	369,0	16
10 G 1,5	15,4	240,0	461,0	16
12 G 1,5	15,4	274,0	481,0	16
14 G 1,5	16,2	340,0	561,0	16
18 G 1,5	18,1	395,0	672,0	16
21 G 1,5	20,2	461,0	780,0	16
25 G 1,5	22,1	533,0	927,0	16

JZ-HF-CY-PUR

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
30 G 1,5	22,5	608,0	1030,0	16
34 G 1,5	24,4	702,0	1180,0	16
42 G 1,5	26,5	867,0	1458,0	16
50 G 1,5	28,8	1033,0	1857,0	16
61 G 1,5	31,6	1233,0	2250,0	16
65 G 1,5	32,6	1315,0	2401,0	16
2 x 2,5	9,9	96,0	185,0	14
3 G 2,5	10,8	150,0	278,0	14
4 G 2,5	11,8	159,0	370,0	14
5 G 2,5	12,7	195,0	412,0	14
7 G 2,5	15,3	240,0	470,0	14
12 G 2,5	18,5	390,0	738,0	14
14 G 2,5	19,7	480,0	870,0	14
18 G 2,5	22,1	620,0	1100,0	14
25 G 2,5	27,1	821,0	1512,0	14
2 x 4	11,5	135,0	235,0	12
3 G 4	12,3	178,0	350,0	12
4 G 4	13,9	222,0	460,0	12
5 G 4	15,1	328,0	550,0	12
7 G 4	18,0	360,0	700,0	12
3 G 6	15,2	250,0	525,0	10
4 G 6	16,6	305,0	700,0	10
5 G 6	18,3	441,0	800,0	10
7 G 6	22,2	505,0	1100,0	10
3 G 10	18,7	370,0	855,0	8
4 G 10	21,0	485,0	1140,0	8
5 G 10	22,8	610,0	1310,0	8
7 G 10	28,4	820,0	1630,0	8
4 G 16	24,0	840,0	1391,0	6
5 G 16	26,6	1050,0	1810,0	6
7 G 16	32,3	1510,0	2166,0	6