


GE-144065

Genie

equivalent




Cable control box

Use for GS 1932, GS 2632, GS 3246
GS 3384RT, GS 5390RT...

GE-235464

Genie

equivalent



Cable control box

Use for GS 1932, GS 2646, GS 4047
GS 3369DC, GS 4046DC...

GE-62162

Genie

equivalent



Cable control box

Use for GS 2668DC, GS 3269DC,
GS 3384RT, GS 4390RT, GS 5390RT

HA-103C162900

Haulotte

equivalent



Cable control box

Use for STAR 6, STAR 10

GE-96019

Genie

equivalent



Cable control box

Use for GS 1930, GS 2032, GS 2046
GS 2632, GS 3246...

GE-96020

Genie

equivalent



Cable control box

Use for GS 1930, GS 2032, GS 2046
GS 2632, GS 3246...

JL-1001096705S

JLG

equivalent



Cable control box

Use for ES-series

JL-1001096706

JLG

equivalent



Cable control box

Use for 2030ES, 2630ES

JL-1001096707

JLG

equivalent



Cable control box

Use for 2646ES, 3246ES

HN-17235800

equivalent




Cable control box

Connectors in mobile crane vehicles

SK163187

equivalent



Cable control box

Used for SJIII3220, SJIII3226,
SJIII4626

GE-119613

Genie

equivalent



Cable control box

Used for ball handle of Lift Z45-25JRT,
Z60-34RT, S85, S125.

BCH25030



Cable control box

Battery cable
25mm² 30cm length

BCH25029



Cable control box

Heavy duty battery cable
35mm² 29-200cm length

BCH0001



Cable control box

Red and black Cable
16~95mm²
customized accessory

BCS124



Cable control box

Battery cable
Meets SAE J1127

BCS225




Cable control box

Booster cable-Red/Black

SN20303



equivalent





Cable control box

Sinoboom parts used for GTJZ-series

DT-series

2 pin male  Vertimac ref:CO-DT02M Deutsch ref:DT06-2S	2 pin female  Vertimac ref:CO-DT02F Deutsch ref:DT04-2P	3 pin male  Vertimac ref:CO-DT03M Deutsch ref:DT06-3S	3 pin female  Vertimac ref:CO-DT03F Deutsch ref:DT04-3P	4 pin male  Vertimac ref:CO-DT04M Deutsch ref:DT06-4S
8 pin female  Vertimac ref:CO-DT08F Deutsch ref:DT06-08S	8 pin male  Vertimac ref:CO-DT08M Deutsch ref:DT06-08S	6 pin female  Vertimac ref:CO-DT06F Deutsch ref:DT04-6P	6 pin male  Vertimac ref:CO-DT06M Deutsch ref:DT06-6S	4 pin female  Vertimac ref:CO-DT04F Deutsch ref:DT04-4P
12 pin male  Vertimac ref:CO-DT12M Deutsch ref:DT06-12S	12 pin female  Vertimac ref:CO-DT12F Deutsch ref:DT04-12P	CO-DTMP Multi  Connector plug, terminal pin DT-series, male ▲equivalenta		CO-DTFP Multi  Connector plug, terminal pin DT-series, female ▲equivalenta

DTM-series

2 pin male  Vertimac ref:CO-DTM02M Deutsch ref:DTM06-2S	2 pin female  Vertimac ref:CO-DTM02F Deutsch ref:DTM04-2P	3 pin male  Equivalent:CO-DTM03M Deutsch ref:DTM06-3S	3 pin female  Vertimac ref:CO-DTM03F Deutsch ref:DTM04-3P	4 pin male  Vertimac ref:CO-DTM04M Deutsch ref:DTM06-4S
8 pin female  Vertimac ref:CO-DTM08F Deutsch ref:DTM04-8P	8 pin male  Vertimac ref:CO-DTM08M Deutsch ref:DTM06-8S	6 pin female  Equivalent:CO-DTM06F Deutsch ref:DTM04-6P	6 pin male  Vertimac ref:CO-DTM06M Deutsch ref:DTM06-6S	4 pin female  Vertimac ref:CO-DT04F Deutsch ref:DT04-4P
12 pin male  Equivalent:CO-DTM12M Deutsch ref:DTM06-12S	12 pin female  Equivalent:CO-DTM12F Deutsch ref:DTM04-12P	CO-DTMMP Multi  Connector plug, terminal pin DTM-series, male ▲equivalenta		CO-DTMFP Multi  Connector plug, terminal pin DTM-series, female ▲equivalenta

DTP-series

2 pin male  Vertimac ref:CO-DTP02M Deutsch ref:DTP06-2S	2 pin female  Vertimac ref:CO-DTP02F Deutsch ref:DTP04-2P	CO-DTPMP Multi  Connector plug, terminal pin DTP-series, male ▲equivalenta		CO-DTPFP Multi  Connector plug, terminal pin DTP-series, female ▲equivalenta
4 pin female  Vertimac ref:CO-DTP04M Deutsch ref:DTP06-4S	4 pin male  Vertimac ref:CO-DTP04F Deutsch ref:DTP04-4P			

MS-series

2 pin male  Vertimac ref:CO-MS02M Deutsch ref:5559-02P	2 pin female  Vertimac ref:CO-MS02F Deutsch ref:5557-02R	3 pin male  Vertimac ref:CO-MS03M Deutsch ref:5559-03P	3 pin female  Vertimac ref:CO-MS03F Deutsch ref:5557-03R
4 pin male  Vertimac ref:CO-MS04M Deutsch ref:5559-04P	4 pin female  Vertimac ref:CO-MS04F Deutsch ref:5557-04R	6 pin male  Vertimac ref:CO-MS06M Deutsch ref:5559-06P	6 pin female  Vertimac ref:CO-MS06F Deutsch ref:5557-06R
8 pin male  Vertimac ref:CO-MS08M Deutsch ref:5559-08P	8 pin female  Vertimac ref:CO-MS08F Deutsch ref:5557-08R	12 pin male  Vertimac ref:CO-MS12M Deutsch ref:5559-12P	12 pin female  Vertimac ref:CO-MS12F Deutsch ref:5557-12R
14 pin male  Vertimac ref:CO-MS14M Deutsch ref:5559-14P	14 pin female  Vertimac ref:CO-MS14F Deutsch ref:5557-14R	16 pin male  Vertimac ref:CO-MS16M Deutsch ref:5559-16P	16 pin female  Vertimac ref:CO-MS16F Deutsch ref:5557-16R
18 pin male  Vertimac ref:CO-MS18M Deutsch ref:5559-18P	18 pin female  Vertimac ref:CO-MS18F Deutsch ref:5557-18R	20 pin male  Vertimac ref:CO-MS20M Deutsch ref:5559-20P	20 pin female  Vertimac ref:CO-MS20F Deutsch ref:5557-20R
22 pin male  Vertimac ref:CO-MS22M Deutsch ref:5559-22P	22 pin female  Vertimac ref:CO-MS22F Deutsch ref:5557-22R	CO-MSMP  Connector plug, terminal pin MS-series, male <i>Multi</i> <i>▲equivalenta</i>	CO-MSFP  Connector plug, terminal pin MS-series, female <i>Multi</i> <i>▲equivalenta</i>

Waterproof-series

M12~18  Material: Stainless steel Waterproof level: IP68-10 Working temperature:-50 C~+180 C	M20~28  Material: Stainless steel Waterproof level: IP68-10 Working temperature:-50 C~+180 C	M30~48  Material: Stainless steel Waterproof level: IP68-10 Working temperature:-50 C~+180 C	M50~100  Material: Stainless steel Waterproof level: IP68-10 Working temperature:-50 C~+180 C
M12~18  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C	M20~28  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C	M30~48  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C	M50~100  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C
M12~18  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C	M20~28  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C	M30~48  Material: PA66 Waterproof level: IP68-10 Working temperature:-40 C~+100 C	Nylon cable tie  Material: PA66 Waterproof level: IP68-10 Color:Write,Yellow,Green,Blue,Red,Black and ect.